

Model	A	B	C	D	E	F	G
M30	13	19	62,5	10	34	6	18
M37	13	17	85	10	32	6	20
M44	13	33	100	25	35	6	20

maatvoering in mm




RHEINZINK Mastgoot
Maatvoering

wentzel bv scharenburg 2 1046 bb amsterdam tel: 020-4352008 fax: 020-4352015
postbus 2726 1000 cs amsterdam techniek@wentzel.nl www.wentzel.nl

schaal: nvt
formaat: A4
datum: 17-01-2012
get.: TB

M-1



De achteropstand van de B50 goot staat onder een hoek van 135 graden

Model	A	B	C	D	E	F	G
B30	13	62	120	43	32	6	18
B37	13	85	162	60	34	6	20
B44	13	85	210	66	38	6	20
B50	11	100	212	75	37	6	20
B55	11	105	270	85	37	8	20

maatvoering in mm




RHEINZINK Bakgoot
Maatvoering

wentzel bv scharenburg 2 1046 bb amsterdam tel: 020-4352008 fax: 020-4352015
postbus 2726 1000 cs amsterdam techniek@wentzel.nl www.wentzel.nl

schaal: nvt
formaat: A4
datum: 17-01-2012
get.: TB

B-1



Model	A	B	C	D
M200	10	8	80	16
M250	10	10	105	18
M280	10	11	127	18
M333	10	11	153	20
M400	10	11	192	22
M500	10	21	250	22

maatvoering in mm




Mastgoot Duits model / Koper
Maatvoering

wentzel bv scharenburg 2 1046 bb amsterdam tel: 020-4352008 fax: 020-4352015
postbus 2726 1000 cs amsterdam techniek@wentzel.nl www.wentzel.nl

schaal: mvt
formaat: A4
datum: 17.01.2012
get.: TB

M-2



Model	A	B	C	D	E
B200	16	42	70	8	10
B250	18	55	85	10	10
B333	20	75	120	10	10
B400	22	90	150	10	10
B500	22	110	200	20	10

maatvoering in mm



Bakgoot Duits model / Koper Maatvoering	schaat: nvt formaat: A4 datum: 17.01.2012 get.: TB
	B-2

wentzel bv scharenburg 2 1046 bb amsterdam tel: 020-4352008 fax: 020-4352015
 postbus 2726 1000 cs amsterdam techniek@wentzel.nl www.wentzel.nl